

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER		CANDIDATE NUMBER
CHEMISTRY		0620/61
Paper 6 Alterna	ative to Practical	May/June 2012
		1 hour
Candidates and	swer on the Question Paper.	
No Additional N	Aaterials are required	

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen. You may use a pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid. DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

At the end of the examination, fasten all your work securely together. The number of marks is given in brackets [] at the end of each question or part question.

For Examiner's Use		
1		
2		
3		
4		
5		
6		
Total		

This document consists of **11** printed pages and **1** blank page.




UNIVERSITY of CAMBRIDGE International Examinations

[Turn over

www.OnlineExamHelp.com


1 A student reacted excess iron powder with sulfuric acid to prepare a solution of iron(II) sulfate.

The diagram shows the procedure followed in three stages.



2 Heat is given out when alcohols are burned.

A student used the apparatus below to find the amount of heat produced when four different alcohols, methanol, ethanol, propanol and butanol, were burned.



(a) Some methanol was put into the burner. The initial temperature of the water was measured. The burner was lit and allowed to burn for one minute. The flame was extinguished and the final temperature of the water was measured. The experiment was repeated with ethanol, propanol and butanol.

Use the thermometer diagrams to record the temperatures in the table on page 4. Complete the table by recording the temperature rise for each alcohol.

For

Examiner's Use

For Examiner's Use

		initial		final		
alcohol	formula	thermometer diagram	temperature/°C	thermometer diagram	temperature/°C	temperature rise/°C
methanol	СН₃ОН	25 20		-30 -25 -20		
ethanol	C ₂ H ₅ OH	-25 -20		-35 -30		
propanol	C ₃ H ₇ OH	25 20		45 40		
butanol	C₄H₀OH	25 20				

[4]

5

(b) Plot the results obtained on the grid and draw a straight line graph.

50 40 30 temperature rise/°C 20 10 0 2 0 1 3 4 5 number of carbon atoms in the alcohol formula [4] (c) From your graph, work out the temperature rise expected if the experiment was repeated using pentanol, C₅H₁₁OH. Show clearly on the grid how you obtained your answer. [3] (d) Suggest the effect of using a copper can to contain the water instead of a boiling tube. Explain your answer. [Total: 13] For

Examiner's Use

© UCLES 2012

Coffee beans contain caffeine and other compounds. Caffeine is soluble in water and in

For

Examiner's

Use

3

trichloromethane, an organic solvent.

A student obtained crystals of caffeine by the following method.

BLANK PAGE

4 A student investigated the reaction between aqueous lead nitrate and aqueous potassium chloride.

For Examiner's Use

(a) One experiment was carried out.

Using a measuring cylinder, 3 cm³ of aqueous lead nitrate was poured into each of six test-tubes in a test-tube rack. The test-tubes were labelled A, B, C, D, E and F respectively.


A burette was filled with aqueous potassium chloride. A 1.0 cm³ sample of the aqueous potassium chloride was added to test-tube A.

A 2.0 cm³ sample of aqueous potassium chloride was added to test-tube B.

A 4.0 cm³, 5.0 cm³, 6.0 cm³ and 7.0 cm³ sample of aqueous potassium chloride was added to test-tubes C, D, E and F respectively.


Using a glass rod, the contents of the test-tubes were stirred. The contents of the test-tubes were left to stand for 10 minutes.

After 10 minutes, a ruler was used to measure the height of the solid in each test-tube. The diagrams show the six test-tubes in a rack. Use a ruler to measure the height of the solid in each test-tube in the diagram. Record the heights of the solid in the table.



test-tube number	volume of aqueous potassium chloride / cm ³	height of solid/mm
А		
В		
С		
D		
E		
F		

[4]



(f) Predict what would happen if the experiment were continued using three further test-tubes with 8 cm³, 9 cm³ and 10 cm³ of aqueous potassium chloride. Explain your answer.
[2]
(g) What difference would be observed if the experiment was repeated using aqueous silver nitrate and aqueous potassium iodide?
[1]
(h) Explain one improvement the student could make to the experiment to obtain more accurate results.
improvement
explanation
[2]
[1]

For Examiner's Use

For Examiner's Use

Solid ${\boldsymbol W}$ was analysed. ${\boldsymbol W}$ was a carbonate salt. 5 The tests on solid **W**, and some of the observations, are in the following table. Complete the observations in the table.

Do not write any conclusions in the table.

tests		observations
tests on solid W		
(a) Appearance of solid W		white solid
(b) Solid W was heated.		gas evolved formed a white solid at the top of the test-tube
The gas given off was red litmus paper.	tested with damp	litmus paper turned blue
(c) Dilute hydrochloric ac solid W .	id was added to	
The gas given off was t	ested.	
		[3]
(d) Dilute sodium hydroxid solid W and the mixture		pungent gas given off
The gas given off was pH indicator paper.	tested with damp	pH of gas = 10
(e) Identify the gas giver	n off in test (d) .	1
		[
(f) What conclusions ca	n you draw about s	olid W ?
.,	-	[
		[Total:

For Examiner's Use

STOP RUST!

Solutions of chemicals known as corrosion inhibitors are added to the water in steel radiators to reduce rust. You are provided with three different bottles of liquid corrosion inhibitors, **R**, **S** and **T**, and some steel nails. Plan an experiment to test if these inhibitors prevent the corrosion of steel and which of these inhibitors is the most effective.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

6